

Product Specification

Product group: Lactose
Brand name: Lactopress® Spray Dried
Product description: Lactose monohydrate
Article No: 743593
Document No.: PD-0366 Page 1 of 2

Description :

spray dried lactose pharmaceutical grade
conform **USP- NF, Ph.Eur, JP , ChP**

Physical-Chemical data:

Identification
Appearance in solution
Residue on ignition
Total Water
Loss on drying
Acidity
Specific Optical Rotation (on anhydrous basis)
Absorbance between 210-220 nm (1%, 1 cm)
Absorbance between 270-300 nm (1%, 1 cm)
Absorbance at 400 nm (10%, 1 cm)
Heavy metals
Arsenic
Assay by HPLC
Identify material by HPLC
Related substances by HPLC

Specification

conform USP-NF, Ph.Eur, JP
clear and nearly colourless
max. 0.1 %
4.5 – 5.5 %
max. 1.0 %
max. 0.4 ml 0.1 N NaOH
+54.4° to +55.9°
max. 0.25
max. 0.07
max. 0.04
max. 5 ppm
max. 2 ppm
98 – 102 %
pass
max. 0.5 %

Microbiological data:

TAMC
Bile tolerant gram negative bacteria
Escherichia coli
Salmonellae
TYMC

Specification

max. 100 / g
absent in 10 g
absent in 10 g
absent in 5x25 g
max. 10 / g

Particle size (Airjet sieve analysis, Alpine)

< 45 micron
< 106 micron
< 250 micron

max. 25 %
30 – 60 %
min. 65 %


Product Specification

Product group: Lactose
Brand name: Lactopress® Spray Dried
Product description: Lactose monohydrate
Article No: 743593
Document No.: PD-0366 Page 2 of 2

Packaging: A multiply paper box with polyethylene inner line, 25 kg net
Storage: Keep in original, unopened packing and away from strongly odorous materials
Temperature averaging between 5 and 25 °C, relative humidity of max. 70%
Retest date: For storage periods exceeding 3 years we recommend re-testing

This document substitutes all previous versions issued for the brand names mentioned above.
We trust this information, which is made up to the best of our knowledge, will be helpful to you.

Name : Sander van Gessel
Job Title : Director ITS
Signature :



This document is controlled by a validated, electronic system and is valid without signature.
The above facsimile signature is only for display.