

# **Product Specification**

Product group:	Lactose		
Brand name:	Lactopress <sup>®</sup> Anhydrous		
	Fine Powde	er	
Product description: Anhydrous lactose			
Article No:	661113		
Document No.:	PD-0360	Page 1 of 2	

Manufacturing site:	DFE Pharma GmbH & Co.KG, Borculo, The Netherlands
Product name:	Lactopress <sup>®</sup> Anhydrous Fine Powder
	Conforms to Ph.Eur Lactose monograph / USP - NF, JP Anhydrous Lactose
	monograph, current at time of manufacture
Product description:	A white or almost white, crystalline powder freely soluble in
	water, practically insoluble in ethanol
Residual solvents	
(CPMP/ICH/283/95):	No class 1,2,3 solvents are used during production

#### Physical-Chemical data:

Identification			
Appearance of solution (Ph.Eur.)			
Residue on ignition			
Total Water			
Loss on drying			
Acidity			
Isomer ratio	(Alpha lactose )		
	(Beta-lactose)		
Specific Optical Rotation (on anhydrous basis)			
Absorbance between 210-220 nm (1%, 1 cm)			
Absorbance between 270-300 nm (1%, 1 cm)			
Absorbance at 400 nm (10%, 1 cm)			
Heavy metals			

### Microbiological data:

TAMC Bile tolerant gram negative bacteria Escherichia coli Salmonellae TYMC

#### **Specification**

conform USP - NF, Ph.Eur, JP Clear and not more coloured than ref. BY 7 max. 0.1 % max. 1.0 % max. 0.5 % max. 0.4 ml 0.1 N NaOH (max. 50%) (min. 50%) +54.4° to +55.9° max. 0.25 max. 0.25 max. 0.07 max. 0.04 max. 5 ppm

#### **Specification**

max. 100 / g absent in 10 g absent in 10 g absent in 5x25 g max. 10 / g



## **Product Specification**

Product group:	Lactose		
Brand name:	Lactopress <sup>®</sup> Anhydrous		
	Fine Powde	r	
Product description: Anhydrous lactose			
Article No:	661113		
Document No.:	PD-0360	Page 2 of 2	

Particle size (Airjet sieve analysis, Alpine)

< 150 micron	greater than 99 %
< 100 micron	greater than 95 %

Packaging: A carton box with polyethylene inner line

Storage:Keep in original, unopened packing and away from strongly odorous materialsStore at room temperature (normal warehouse conditions), allowing temporary<br/>excursions.

**Retest date:** Product has a retest date of 24 months.

This document substitutes all previous versions issued for the brand names mentioned above. We trust this information, which is made up to the best of our knowledge, will be helpful to you.

Name: Dr. Bastiaan DickhoffJob title: Director Innovation & Technical Solutions

B. Dicklef

Signature

This document is controlled by a validated, electronic system and is valid without signature. The above facsimile signature is only for display.